TITLE INDEX OF VOLUME 33, 1995

(An) Adaptive Finite-Element Model for Calculating Subsurface Transport of Contaminant, by D. W. Pepper & D. E. Stephenson. v. 33, no. 3, pp. 486-496.

Analysis of Hydraulic Conductivity Averaging Schemes for One-Dimensional, Steady-State Unsaturated Flow, by R. Srivastava & A. Guzman-Guzman. v. 33, no. 6, pp. 946-952.

Analysis of Temporal Environmental Isotopic Variation in Ground Water of the Georgia Piedmont, by Seth Rose. v. 33, no. 4, pp. 644-652.

Analytical Solutions for Gas Flow Due to Gas Injection and Extraction from Horizontal Wells, by Ronald W. Falta. v. 33, no. 2, pp. 235-246.

Analytical Solutions for Water Flow and Solute Transport in the Unsaturated Zone, by M. H. Nachabe, A. L. Islas & T. H. Illangasekare. v. 33, no. 2, pp. 304-310.

Application of a 2D Air Flow Model to Soil Vapor Extraction and Bioventing Case Studies, by D. H. Mohr & P. H. Merz. v. 33, no. 3, pp. 433-444.

Applying Higher Order DIRK Time Steps to the "Modified Picard" Method, by Donald L. Baker. v. 33, no. 2, pp. 259-263.

Automated Base Flow Separation and Recession Analysis Techniques, by J. G. Arnold, P. M. Allen, R. Muttiah & G. Bernhardt. v. 33, no. 6, pp. 1010-1018.

Bottled Water, Spas, and Early Years of Water Chemistry, by W. Back, E. R. Landa & L. Meeks. v. 33, no. 4, pp. 605-614.

Characterization of High-K Pathways by Borehole Flowmeter and Tracer Tests, by Steven C. Young. v. 33, no. 2, pp. 311-318.

Chemical and Isotopic Methods for Quantifying Ground-Water Recharge in a Regional, Semiarid Environment, by W. W. Wood & W. E. Sanford. v. 33, no. 3, pp. 458-468.

Chemical Leaching Near the Waiawa Shaft, Oahu, Hawaii: 2. Modeling Results, by K. Loague, R. N. Miyahira, R. E. Green, D. S. Oki, T. W. Giambelluca & R. C. Schneider. v. 33, no. 1, pp. 124-138.

Combining the Neuman and Boulton Models for Flow to a Well in an Unconfined Aquifer, by Allen F. Moench. v. 33, no. 3, pp. 378-384.

(A) Comparison of Methods to Determine K in a Shallow Coastal Aquifer, by N. P. Millham & B. L. Howes. v. 33, no. 1, pp. 49-57.

Computer Notes — A Program to Calculate Ground-Water Mound Heights, by E. John Finnemore. v. 33, no. 1, pp. 139-143.

Computer Notes — MacWateqf: The Classic Speciation and Saturation Program Adapted to Macintosh Computers, by F. Javier Sánchez San Román. v. 33, no. 5, pp. 829-831.

Computer Notes — Program to Calculate Hydraulic Conductivity Using Dugwell Recovery Data, by A. Lalwani, H. Kulkarni, S. B. Deolankar & P. P. Thomas. v. 33, no. 1, pp. 144-147.

Computer Notes — Spreadsheet Modeling of Slug Tests Using the van der Kamp Method, by Allan Wylie & Swen Magnuson. v. 33, no. 2, pp. 326-329.

Correction for Temperature Effect in the Recovery of a Pumped Well, by M. W. Kawecki. v. 33, no. 6, pp. 917-926.

(The) Correlation Between Bedrock Uranium and Dissolved Radon in Ground Water of a Fractured Carbonate Aquifer in Southwestern Ohio, by I. K. Gall, R. W. Ritzi, Jr., A. D. Baldwin, Jr., P. D. Pushkar, C. K. Carney & J. F. Talnagi, Jr. v. 33, no. 2, pp. 197-206.

Dampening of Transverse Dispersion in the Halocline in Karst Limestone in the Northeastern Yucatan Peninsula, by Ronald K. Stoessell. v. 33, no. 3, pp. 366-371.

Darcian Weighted Interblock Conductivity Means for Vertical Unsaturated Flow, by Donald L. Baker. v. 33, no. 3, pp. 385-390.

Delineation of a Saline Ground-Water Boundary from Borehole Geophysical Data, by D. J. Schnoebelen, E. F. Bugliosi & N. C. Krothe. v. 33, no. 6, pp. 965-976.

Design Factors for Improving the Efficiency of Free-Product Recovery Systems in Unconfined Aquifers, by J. J. Kaluarachchi & R. T. Elliott. v. 33, no. 6, pp. 909-916.

Detailed Hydrochemical Studies as a Useful Extension of National Ground-Water Monitoring Networks, by G. Frapporti, J. H. Hoogendoorn & S. P. Vriend. v. 33, no. 5, pp. 817-828.

Distribution of Transmissivity in the Dammam Limestone Formation, Kuwait, by Amitabha Mukhopadhyay. v. 33, no. 5, pp. 801-805.

Editorial — Ground-Water Models, by John Bredehoeft & Phil Hall. v. 33, no. 4, pp. 530-531.

Editorial — International Initiative, by John Bredehoeft. v. 33, no. 1, pp. 2-3.

Effect of Well-Screen Placement on Recovery of Vertically Stratified Contaminants, by B. Conant Jr., F. F. Akindunni & R. W. Gillham. v. 33, no. 3, pp. 445-457.

(The) Effect of Zones of High Porosity and Permeability on the Configuration of the Saline-Freshwater Mixing Zone, by C. M. Wicks & J. S. Herman. v. 33, no. 5, pp. 733-740.

Effective Parameter Optimization for Ground-Water Model Calibration, by T. N. Olsthoorn. v. 33, no. 1, pp. 42-48.

Effects of Agriculture on Ground-Water Quality in Five Regions of the United States, by Pixie A. Hamilton & Dennis R. Helsel. v. 33, no. 2, pp. 217-226.

Estimating DNAPL Composition and VOC Dilution from

TITLE INDEX OF VOLUME 33, 1995

(An) Adaptive Finite-Element Model for Calculating Subsurface Transport of Contaminant, by D. W. Pepper & D. E. Stephenson. v. 33, no. 3, pp. 486-496.

Analysis of Hydraulic Conductivity Averaging Schemes for One-Dimensional, Steady-State Unsaturated Flow, by R. Srivastava & A. Guzman-Guzman. v. 33, no. 6, pp. 946-952.

Analysis of Temporal Environmental Isotopic Variation in Ground Water of the Georgia Piedmont, by Seth Rose. v. 33, no. 4, pp. 644-652.

Analytical Solutions for Gas Flow Due to Gas Injection and Extraction from Horizontal Wells, by Ronald W. Falta. v. 33, no. 2, pp. 235-246.

Analytical Solutions for Water Flow and Solute Transport in the Unsaturated Zone, by M. H. Nachabe, A. L. Islas & T. H. Illangasekare. v. 33, no. 2, pp. 304-310.

Application of a 2D Air Flow Model to Soil Vapor Extraction and Bioventing Case Studies, by D. H. Mohr & P. H. Merz. v. 33, no. 3, pp. 433-444.

Applying Higher Order DIRK Time Steps to the "Modified Picard" Method, by Donald L. Baker. v. 33, no. 2, pp. 259-263.

Automated Base Flow Separation and Recession Analysis Techniques, by J. G. Arnold, P. M. Allen, R. Muttiah & G. Bernhardt. v. 33, no. 6, pp. 1010-1018.

Bottled Water, Spas, and Early Years of Water Chemistry, by W. Back, E. R. Landa & L. Meeks. v. 33, no. 4, pp. 605-614.

Characterization of High-K Pathways by Borehole Flowmeter and Tracer Tests, by Steven C. Young. v. 33, no. 2, pp. 311-318.

Chemical and Isotopic Methods for Quantifying Ground-Water Recharge in a Regional, Semiarid Environment, by W. W. Wood & W. E. Sanford. v. 33, no. 3, pp. 458-468.

Chemical Leaching Near the Waiawa Shaft, Oahu, Hawaii: 2. Modeling Results, by K. Loague, R. N. Miyahira, R. E. Green, D. S. Oki, T. W. Giambelluca & R. C. Schneider. v. 33, no. 1, pp. 124-138.

Combining the Neuman and Boulton Models for Flow to a Well in an Unconfined Aquifer, by Allen F. Moench. v. 33, no. 3, pp. 378-384.

(A) Comparison of Methods to Determine K in a Shallow Coastal Aquifer, by N. P. Millham & B. L. Howes. v. 33, no. 1, pp. 49-57.

Computer Notes — A Program to Calculate Ground-Water Mound Heights, by E. John Finnemore. v. 33, no. 1, pp. 139-143.

Computer Notes — MacWateqf: The Classic Speciation and Saturation Program Adapted to Macintosh Computers, by F. Javier Sánchez San Román. v. 33, no. 5, pp. 829-831.

Computer Notes — Program to Calculate Hydraulic Conductivity Using Dugwell Recovery Data, by A. Lalwani, H. Kulkarni, S. B. Deolankar & P. P. Thomas. v. 33, no. 1, pp. 144-147.

Computer Notes — Spreadsheet Modeling of Slug Tests Using the van der Kamp Method, by Allan Wylie & Swen Magnuson. v. 33, no. 2, pp. 326-329.

Correction for Temperature Effect in the Recovery of a Pumped Well, by M. W. Kawecki. v. 33, no. 6, pp. 917-926.

(The) Correlation Between Bedrock Uranium and Dissolved Radon in Ground Water of a Fractured Carbonate Aquifer in Southwestern Ohio, by I. K. Gall, R. W. Ritzi, Jr., A. D. Baldwin, Jr., P. D. Pushkar, C. K. Carney & J. F. Talnagi, Jr. v. 33, no. 2, pp. 197-206.

Dampening of Transverse Dispersion in the Halocline in Karst Limestone in the Northeastern Yucatan Peninsula, by Ronald K. Stoessell. v. 33, no. 3, pp. 366-371.

Darcian Weighted Interblock Conductivity Means for Vertical Unsaturated Flow, by Donald L. Baker. v. 33, no. 3, pp. 385-390.

Delineation of a Saline Ground-Water Boundary from Borehole Geophysical Data, by D. J. Schnoebelen, E. F. Bugliosi & N. C. Krothe. v. 33, no. 6, pp. 965-976.

Design Factors for Improving the Efficiency of Free-Product Recovery Systems in Unconfined Aquifers, by J. J. Kaluarachchi & R. T. Elliott. v. 33, no. 6, pp. 909-916.

Detailed Hydrochemical Studies as a Useful Extension of National Ground-Water Monitoring Networks, by G. Frapporti, J. H. Hoogendoorn & S. P. Vriend. v. 33, no. 5, pp. 817-828.

Distribution of Transmissivity in the Dammam Limestone Formation, Kuwait, by Amitabha Mukhopadhyay. v. 33, no. 5, pp. 801-805.

Editorial — Ground-Water Models, by John Bredehoeft & Phil Hall. v. 33, no. 4, pp. 530-531.

Editorial — International Initiative, by John Bredehoeft. v. 33, no. 1, pp. 2-3.

Effect of Well-Screen Placement on Recovery of Vertically Stratified Contaminants, by B. Conant Jr., F. F. Akindunni & R. W. Gillham. v. 33, no. 3, pp. 445-457.

(The) Effect of Zones of High Porosity and Permeability on the Configuration of the Saline-Freshwater Mixing Zone, by C. M. Wicks & J. S. Herman. v. 33, no. 5, pp. 733-740.

Effective Parameter Optimization for Ground-Water Model Calibration, by T. N. Olsthoorn. v. 33, no. 1, pp. 42-48.

Effects of Agriculture on Ground-Water Quality in Five Regions of the United States, by Pixie A. Hamilton & Dennis R. Helsel. v. 33, no. 2, pp. 217-226.

Estimating DNAPL Composition and VOC Dilution from

Extraction Well Data, by R. E. Jackson & P. E. Mariner. v. 33, no. 3, pp. 407-414.

Estimating Local Ground-Water Flow Conditions in a Granitoid: Preliminary Assessments in the Waldoboro Pluton Complex, Maine, by W. C. Sidle & P. Y. Lee. v. 33, no. 2, pp. 291-303.

Estimation of Free-Hydrocarbon Recovery from Dual-Pump Systems, by R. J. Charbeneau & C. Y. Chiang. v. 33, no. 4, pp. 627-634.

Estimation of Unsteady, Three-Dimensional Drawdown in Single, Vertically Heterogeneous Aquifers, by Ferenc Székely. v. 33, no. 4, pp. 669-674.

Evaluation of Ground-Water Contamination from Nonpoint Sources: A Case Study, by C. van den Brink & W. J. Zaadnoordijk. v. 33, no. 3, pp. 356-365.

(An) Evaluation of Interpolation Methodologies for Generating Three-Dimensional Hydraulic Property Distributions from Measured Data, by G. K. Boman, F. J. Molz & O. Güven. v. 33, no. 2, pp. 247-258.

Evaluation of Simplified Stream-Aquifer Depletion Models for Water Rights Administration, by M. Sophocleous, A. Koussis, J. L. Martin & S. P. Perkins. v. 33, no. 4, pp. 579-588.

Evidence for Enhanced Mineral Dissolution in Organic Acid-Rich Shallow Ground Water, by P. B. McMahon, D. A. Vroblesky, P. M. Bradley, F. H. Chapelle & C. D. Gullett. v. 33, no. 2, pp. 207-216.

Facilitated Transport of Contaminant Metals Through an Acidified Aquifer, by D. I. Kaplan, P. M. Bertsch & D. C. Adriano. v. 33, no. 5, pp. 708-717.

Flow of Gasoline-in-Water Microemulsion Through Water-Saturated Soil Columns, by Y. Ouyang, R. S. Mansell & R. D. Rhue. v. 33, no. 3, pp. 399-406.

Fracture Density Distributions and Well Yields in Coastal Maine, by Marc Loiselle & David Evans. v. 33, no. 2, pp. 190-196.

Geochemical Indicators of Intrinsic Bioremediation, by R. C. Borden, C. A. Gomez & M. T. Becker. v. 33, no. 2, pp. 180-189.

(The) Geochemistry of Chromium Migration and Remediation in the Subsurface, by A. Davis & R. L. Olsen. v. 33, no. 5, pp. 759-768.

Geothermal-Water Characteristics in the Surdulica Aquifer, by M. Hadzisehović, A. Dangić, N. Miljević, V. Sipka & D. Golobocanin. v. 33, no. 1, pp. 112-123.

Ground-Water Contaminant Plume Differentiation and Source Determination Using BTEX Concentration Ratios, by Y. J. Yang, R. D. Spencer, M. A. Mersmann & T. M. Gates. v. 33, no. 6, pp. 927-935.

Ground-Water Flow Simulation for Management of a Regulated Aquifer System: A Case Study in the North Carolina Coastal Plain, by J. W. Reynolds & R. K. Spruill. v. 33, no. 5, pp. 741-748.

(A) Ground-Water Tracer Test with Deuterated Compounds for Monitoring In Situ Biodegradation and Retardation of Aromatic Hydrocarbons, by J. Thierrin, G. B. Davis & C. Barber. v. 33, no. 3, pp. 469-475.

Guest Editorial — A Case for a US Department of Science and Technology, by Jay H. Lehr. v. 33, no. 6, pp. 882-883.

Guest Editorial — Another Look at the Future Ground-Water Professional, by Will Focht. v. 33, no. 2, pp. 178-179.

Guest Editorial — Back to Basics in Environmental Protection, by John R. Odermatt. v. 33, no. 3, pp. 354-355.

Guest Editorial — Impending Changes in Ground-Water Activities, by Harry E. LeGrand. v. 33, no. 5, pp. 706-707.

Hydrolysis Rates of Dissolved Volatile Organic Compounds: Principles, Temperature Effects and Literature Review, by John W. Washington. v. 33, no. 3, pp. 415-424.

In Situ Denitrification of Septic-System Nitrate Using Reactive Porous Media Barriers: Field Trials, by W. D. Robertson & J. A. Cherry. v. 33, no. 1, pp. 99-111.

Interpretation of Prematurely Terminated Air-Pressurized Slug Tests, by A. M. Shapiro & E. A. Greene. v. 33, no. 4, pp. 539-546.

(An) Investigation of Saturation-Capillary Pressure Relations in Two- and Three-Fluid Systems for Several NAPLS in Different Porous Media, by R. D. Busby, R. J. Lenhard & D. E. Rolston. v. 33, no. 4, pp. 570-578.

(An) Iterative Cokriging-Like Technique for Ground-Water Flow Modeling, by T.-C. J. Yeh, A. L. Gutjahr & M. Jin. v. 33, no. 1, pp. 33-41.

Lab and Field Measurements of the Hydraulic Conductivity of Clayey Silts, by P. Döll & W. Schneider. v. 33, no. 6, pp. 884-891.

Laboratory Investigation of Buoyancy-Induced Flow (Plume Sinking) During Two-Well Tracer Tests, by J. D. Istok & M. D. Humphrey. v. 33, no. 4, pp. 597-604.

Landfills in New York City: 1844-1994, by D. C. Walsh & R. G. LaFleur. v. 33, no. 4, pp. 556-560.

Localized Anisotropic Transmissivity in a Karst Aquifer, by E. A. Greene & P. H. Rahn. v. 33, no. 5, pp. 806-816.

Location Analysis in Ground-Water Remediation Using Neural Networks, by V. M. Johnson & L. L. Rogers. v. 33, no. 5, pp. 749-758.

Location of Water Table by FEM and Verification by Electrical Analogy Experiments, by H. Suresh Rao & S. Sankaranarayanan. v. 33, no. 3, pp. 372-377.

Major Ion and Trace Metal Geochemistry of an Acidic Septic-System Plume in Silt, by W. D. Robertson & D. W. Blowes. v. 33, no. 2, pp. 275-283.

Meaningful Interpretation of Step-Drawdown Tests, by M. W. Kawecki. v. 33, no. 1, pp. 23-32.

Measurements of Aquifer-Storage Change and Specific Yield Using Gravity Surveys, by D. R. Pool & J. H. Eychaner. v. 33, no. 3, pp. 425-432.

(A) Method for Estimating Field-Scale Mass Transfer Rate Parameters and Assessing Aquifer Cleanup Times, by S. D. Brogan & R. M. Gailey. v. 33, no. 6, pp. 997-1009.

(A) Method for Passive Release of Solutes from an Unpumped Well, by R. D. Wilson & D. M. Mackay. v. 33, no. 6, pp. 936-945.

(A) Model for Estimating the Hydraulic Conductivity of Granular Material Based on Grain Shape, Grain Size, and Porosity, by J. M. Sperry & J. J. Peirce. v. 33, no. 6, pp. 892-898.

Modeling of Contaminant Movement Near Pumping Wells: Saturated-Unsaturated Flow with Particle Tracking, by F. F. Akindunni, R. W. Gillham, B. Conant, Jr. & T. Franz. v. 33, no. 2, pp. 264-274.

(A) Modified Gauss-Newton Method for Aquifer Parameter Identification, by Jingsheng Li & Derek Elsworth. v. 33, no. 4, pp. 662-668.

Observed Migration of a Controlled DNAPL Release by Geophysical Methods, by M. L. Brewster, A. P. Annan, J. P. Greenhouse, B. H. Kueper, G. R. Olhoeft, J. D. Redman & K. A. Sander. v. 33, no. 6, pp. 977-987.

Optimal Estimation of Two-Dimensional Contaminant Transport, by S. Zou & A. Parr. v. 33, no. 2, pp. 319-325.

Optimal Ground-Water Remediation Methods Applied to a Superfund Site: From Formulation to Implementation, by D. P. Ahlfeld, R. H. Page & G. F. Pinder. v. 33, no. 1, pp. 58-70.

Practical Probabilistic Ground-Water Modeling, by A. Woodbury, F. Render & T. Ulrych. v. 33, no. 4, pp. 532-538.

Preparation of Specific-Yield Logs for Clastic Bedrock Aquifers, by S. G. Robson. v. 33, no. 1, pp. 4-10.

Pump-and-Treat Remediation of Heterogeneous Aquifers: Effects of Rate-Limited Mass Transfer, by Sten Berglund & Vladimir Cvetkovic. v. 33, no. 4, pp. 675-685.

Quantification of Uncertainty in Exposure Assessments at Hazardous Waste Sites, by M. T. Goodrich & J. T. McCord. v. 33, no. 5, pp. 727-732.

Radiocarbon and $\delta^{13}C$ Values Related to Ground-Water

Recharge and Mixing, by James E. Landmeyer & Peter A. Stone. v. 33, no. 2, pp. 227-234.

Reducing Uncertainty Associated with Ground-Water Flow and Transport Predictions, by E. P. Poeter & S. A. McKenna. v. 33, no. 6, pp. 899-904.

Relation Between Topography and Well Yield in Boreholes in Crystalline Rocks, Sogn og Fjordane, Norway, by Helge Henriksen. v. 33, no. 4, pp. 635-643.

Relation of Ground-Water Quality to Land Use on Long Island, New York, by D.A.V. Eckhardt & P. E. Stackelberg. v. 33, no. 6, pp. 1019-1033.

(The) Relationship Between Monitoring Well and Aquifer Solute Concentrations, by C. Chiang, G. Raven & C. Dawson. v. 33, no. 5, pp. 718-726.

Research Borehole-Geophysical Logging in Determining Geohydrologic Properties, by D. G. Jorgensen & M. Petricola. v. 33, no. 4, pp. 589-596.

Retardation of Dissolved Oxygen Due to a Trapped Gas Phase in Porous Media, by V. A. Fry, J. D. Istok, L. Semprini, K. T. O'Reilly & T. E. Buscheck. v. 33, no. 3, pp. 391-398.

Roberts Rift, Canyonlands, Utah, A Natural Hydraulic Fracture Caused by Comet or Asteroid Impact, by P. W. Huntoon & E. M. Shoemaker. v. 33, no. 4, pp. 561-569.

Scale Dependency of Hydraulic Conductivity Measurements, by C. W. Rovey II & D. S. Cherkauer. v. 33, no. 5, pp. 769-780.

Sensitivity of Drawdown to Parameters and Its Influence on Parameter Estimation for Pumping Tests in Large-Diameter Wells, by J. J. Jiao & K. R. Rushton. v. 33, no. 5, pp. 794-800.

Simulations of Flow in Crystalline Rock and Recharge from Overlying Glacial Deposits in a Hypothetical New England Setting, by P. T. Harte & T. C. Winter. v. 33, no. 6, pp. 953-964.

Simultaneous Determination of Argon and Nitrogen, by G. E. Martin, D. D. Snow, E. Kim & R. F. Spalding. v. 33, no. 5, pp. 781-785.

Site Characterization using $^3H/^3He$ Ground-Water Ages, Cape Cod, MA, by D. K. Solomon, R. J. Poreda, P. G. Cook & A. Hunt. v. 33, no. 6, pp. 988-996.

Slug Tests in Unconfined Formations: An Assessment of the Bouwer and Rice Technique, by Z. Hyder & J. J. Butler, Jr. v. 33, no. 1, pp. 16-22.

Soil-Gas Signatures from Volatile Chlorinated Solvents: Borden Field Experiments, by Michael O. Rivett. v. 33, no. 1, pp. 84-98.

Surface Geophysical Surveys of the Freshwater-Saltwater Interface in a Coastal Area of Long Island, New York, by E. R. McNew & S. Arav. v. 33, no. 4, pp. 615-626.

Survey of Nitrate Contamination in Shallow Domestic Drinking Water Wells of the Inner Coastal Plain of Georgia, by M. A. Stuart, F. J. Rich & G. A. Bishop. v. 33, no. 2, pp. 284-290.

Theis Solution Under Aquifer Parameter Uncertainty, by A. H-D. Cheng & D. Ouazar. v. 33, no. 1, pp. 11-15.

Topographic Influence of Longwall Mining on Ground-Water Supplies, by D. Elsworth & J. Liu. v. 33, no. 5, pp. 786-793.

Use of a Square-Array Direct-Current Resistivity Method to Detect Fractures in Crystalline Bedrock in New Hampshire, by J. W. Lane, Jr., F. P. Haeni & W. M. Watson. v. 33, no. 3, pp. 476-485.

Use of Electric Logs to Estimate Water Quality of Pre-Tertiary Aquifers, by J. B. Lindner-Lunsford & B. W. Bruce. v. 33, no. 4, pp. 547-555.

Use of Weighted Least-Squares Method in Evaluation of the Relationship Between Dispersivity and Field Scale, by M. Xu & Y. Eckstein. v. 33, no. 6, pp. 905-908.

Virus and Bacteria Transport in a Sandy Aquifer, Cape Cod, MA, by R. C. Bales, Shimin Li, K. M. Maguire, M. T. Yahya, C. P. Gerba & R. W. Harvey. v. 33, no. 4, pp. 653-661.

Wellhead Protection Area Delineation Using the Analytic Element Method of Ground-Water Modeling, by R. W. Wuolo, D. J. Dahlstrom & M. D. Fairbrother. v. 33, no. 1, pp. 71-83.

AUTHOR INDEX OF VOLUME 33, 1995

Ahlfeld, D. P., R. H. Page & G. F. Pinder. *Optimal Ground-Water Remediation Methods Applied to a Superfund Site: From Formulation to Implementation.* v. 33, no. 1, pp. 58-70.

Akindunni, F. F., R. W. Gillham, B. Conant, Jr. & T. Franz. *Modeling of Contaminant Movement Near Pumping Wells: Saturated-Unsaturated Flow with Particle Tracking.* v. 33, no. 2, pp. 264-274.

Arnold, J. G., P. M. Allen, R. Muttiah & G. Bernhardt. *Automated Base Flow Separation and Recession Analysis Techniques.* v. 33, no. 6, pp. 1010-1018.

Back, W., E. R. Landa & L. Meeks. *Bottled Water, Spas, and Early Years of Water Chemistry.* v. 33, no. 4, pp. 605-614.

Baker, Donald L. *Applying Higher Order DIRK Time Steps to the "Modified Picard" Method.* v. 33, no. 2, pp. 259-263.

Baker, Donald L. *Darcian Weighted Interblock Conductivity Means for Vertical Unsaturated Flow.* v. 33, no. 3, pp. 385-390.

Bales, R. C., Shimin Li, K. M. Maguire, M. T. Yahya, C. P. Gerba & R. W. Harvey. *Virus and Bacteria Transport in a Sandy Aquifer, Cape Cod, MA.* v. 33, no. 4, pp. 653-661.

Berglund, Sten & Vladimir Cvetkovic. *Pump-and-Treat Remediation of Heterogeneous Aquifers: Effects of Rate-Limited Mass Transfer.* v. 33, no. 4, pp. 675-685.

Boman, G. K., F. J. Molz & O. Güven. *(An) Evaluation of Interpolation Methodologies for Generating Three-Dimensional Hydraulic Property Distributions from Measured Data.* v. 33, no. 2, pp. 247-258.

Borden, R. C., C. A. Gomez & M. T. Becker. *Geochemical Indicators of Intrinsic Bioremediation.* v. 33, no. 2, pp. 180-189.

Bredehoeft, John. *Editorial — International Initiative.* v. 33, no. 1, pp. 2-3.

Bredehoeft, John & Phil Hall. *Editorial — Ground-Water Models.* v. 33, no. 4, pp. 530-531.

Brewster, M. L., A. P. Annan, J. P. Greenhouse, B. H. Kueper, G. R. Olhoeft, J. D. Redman & K. A. Sander. *Observed Migration of a Controlled DNAPL Release by Geophysical Methods.* v. 33, no. 6, pp. 977-987.

Brogan, S. D. & R. M. Gailey. *(A) Method for Estimating Field-Scale Mass Transfer Rate Parameters and Assessing Aquifer Cleanup Times.* v. 33, no. 6, pp. 997-1009.

Busby, R. D., R. J. Lenhard & D. E. Rolston. *(An) Investigation of Saturation-Capillary Pressure Relations in Two- and Three-Fluid Systems for Several NAPLS in Different Porous Media.* v. 33, no. 4, pp. 570-578.

Charbeneau, R. J. & C. Y. Chiang. *Estimation of Free-Hydrocarbon Recovery from Dual-Pump Systems.* v. 33, no. 4, pp. 627-634.

Cheng, A. H-D. & D. Ouazar. *Theis Solution Under Aquifer Parameter Uncertainty.* v. 33, no. 1, pp. 11-15.

Chiang, C., G. Raven & C. Dawson. *(The) Relationship Between Monitoring Well and Aquifer Solute Concentrations.* v. 33, no. 5, pp. 718-726.

Conant, B. Jr., F. F. Akindunni & R. W. Gillham. *Effect of Well-Screen Placement on Recovery of Vertically Stratified Contaminants.* v. 33, no. 3, pp. 445-457.

Davis, A. & R. L. Olsen. *(The) Geochemistry of Chromium Migration and Remediation in the Subsurface.* v. 33, no. 5, pp. 759-768.

Döll, P. & W. Schneider. *Lab and Field Measurements of the Hydraulic Conductivity of Clayey Silts.* v. 33, no. 6, pp. 884-891.

Eckhardt, D.A.V. & P. E. Stackelberg. *Relation of Ground-Water Quality to Land Use on Long Island, New York.* v. 33, no. 6, pp. 1019-1033.

Elsworth, D. & J. Liu. *Topographic Influence of Longwall Mining on Ground-Water Supplies.* v. 33, no. 5, pp. 786-793.

Falta, Ronald W. *Analytical Solutions for Gas Flow Due to Gas Injection and Extraction from Horizontal Wells.* v. 33, no. 2, pp. 235-246.

Finnemore, E. John. *Computer Notes — A Program to Calculate Ground-Water Mound Heights.* v. 33, no. 1, pp. 139-143.

Focht, Will. *Guest Editorial — Another Look at the Future Ground-Water Professional.* v. 33, no. 2, pp. 178-179.

Frapporti, G., J. H. Hoogendoorn & S. P. Vriend. *Detailed Hydrochemical Studies as a Useful Extension of National Ground-Water Monitoring Networks.* v. 33, no. 5, pp. 817-828.

Fry, V. A., J. D. Istok, L. Semprini, K. T. O'Reilly & T. E. Buscheck. *Retardation of Dissolved Oxygen Due to a Trapped Gas Phase in Porous Media.* v. 33, no. 3, pp. 391-398.

Gall, I. K., R. W. Ritzi, Jr., A. D. Baldwin, Jr., P. D. Pushkar, C. K. Carney & J. F. Talnagi, Jr. *(The) Correlation Between Bedrock Uranium and Dissolved Radon in Ground Water of a Fractured Carbonate Aquifer in Southwestern Ohio.* v. 33, no. 2, pp. 197-206.

Goodrich, M. T. & J. T. McCord. *Quantification of Uncertainty in Exposure Assessments at Hazardous Waste Sites.* v. 33, no. 5, pp. 727-732.

Greene, E. A. & P. H. Rahn. *Localized Anisotropic Transmissivity in a Karst Aquifer.* v. 33, no. 5, pp. 806-816.

Hadzisehović, M., A. Dangić, N. Miljević, V. Sipka & D. Golobocanin. *Geothermal-Water Characteristics in the Surdulica Aquifer.* v. 33, no. 1, pp. 112-123.

Hamilton, Pixie A. & Dennis R. Helsel. *Effects of Agriculture on Ground-Water Quality in Five Regions of the United States.* v. 33, no. 2, pp. 217-226.

Harte, P. T. & T. C. Winter. *Simulations of Flow in Crystalline Rock and Recharge from Overlying Glacial Deposits in a Hypothetical New England Setting.* v. 33, no. 6, pp. 953-964.

Henriksen, Helge. *Relation Between Topography and Well Yield in Boreholes in Crystalline Rocks, Sogn og Fjordane, Norway.* v. 33, no. 4, pp. 635-643.

Huntoon, P. W. & E. M. Shoemaker. *Roberts Rift, Canyonlands, Utah, A Natural Hydraulic Fracture Caused by Comet or Asteroid Impact.* v. 33, no. 4, pp. 561-569.

Hyder, Z. & J. J. Butler, Jr. *Slug Tests in Unconfined Formations: An Assessment of the Bouwer and Rice Technique.* v. 33, no. 1, pp. 16-22.

Istok, J. D. & M. D. Humphrey. *Laboratory Investigation of Buoyancy-Induced Flow (Plume Sinking) During Two-Well Tracer Tests.* v. 33, no. 4, pp. 597-604.

Jackson, R. E. & P. E. Mariner. *Estimating DNAPL Composition and VOC Dilution from Extraction Well Data.* v. 33, no. 3, pp. 407-414.

Jiao, J. J. & K. R. Rushton. *Sensitivity of Drawdown to Parameters and Its Influence on Parameter Estimation for Pumping Tests in Large-Diameter Wells.* v. 33, no. 5, pp. 794-800.

Johnson, V. M. & L. L. Rogers. *Location Analysis in Ground-Water Remediation Using Neural Networks.* v. 33, no. 5, pp. 749-758.

Jorgensen, D. G. & M. Petricola. *Research Borehole-Geophysical Logging in Determining Geohydrologic Properties.* v. 33, no. 4, pp. 589-596.

Kaluarachchi, J. J. & R. T. Elliott. *Design Factors for Improving the Efficiency of Free-Product Recovery Systems in Unconfined Aquifers.* v. 33, no. 6, pp. 909-916.

Kaplan, D. I., P. M. Bertsch & D. C. Adriano. *Facilitated Transport of Contaminant Metals Through an Acidified Aquifer.* v. 33, no. 5, pp. 708-717.

Kawecki, M. W. *Correction for Temperature Effect in the Recovery of a Pumped Well.* v. 33, no. 6, pp. 917-926.

Kawecki, M. W. *Meaningful Interpretation of Step-Drawdown Tests.* v. 33, no. 1, pp. 23-32.

Lalwani, A., H. Kulkarni, S. B. Deolankar & P. P. Thomas. *Computer Notes — Program to Calculate Hydraulic Conductivity Using Dugwell Recovery Data.* v. 33, no. 1, pp. 144-147.

Landmeyer, James E. & Peter A. Stone. *Radiocarbon and $\delta^{13}C$ Values Related to Ground-Water Recharge and Mixing.* v. 33, no. 2, pp. 227-234.

Lane, J. W., Jr., F. P. Haeni & W. M. Watson. *Use of a Square-Array Direct-Current Resistivity Method to Detect Fractures in Crystalline Bedrock in New Hampshire.* v. 33, no. 3, pp. 476-485.

LeGrand, Harry E. *Guest Editorial — Impending Changes in Ground-Water Activities.* v. 33, no. 5, pp. 706-707.

Lehr, Jay H. *Guest Editorial — A Case for a US Department of Science and Technology.* v. 33, no. 6, pp. 882-883.

Li, Jingsheng & Derek Elsworth. *(A) Modified Gauss-Newton Method for Aquifer Parameter Identification.* v. 33, no. 4, pp. 662-668.

Lindner-Lunsford, J. B. & B. W. Bruce. *Use of Electric Logs to Estimate Water Quality of Pre-Tertiary Aquifers.* v. 33, no. 4, pp. 547-555.

Loague, K., R. N. Miyahira, R. E. Green, D. S. Oki, T. W. Giambelluca & R. C. Schneider. *Chemical Leaching Near the Waiawa Shaft, Oahu, Hawaii: 2. Modeling Results.* v. 33, no. 1, pp. 124-138.

Loiselle, Marc & David Evans. *Fracture Density Distributions and Well Yields in Coastal Maine.* v. 33, no. 2, pp. 190-196.

Martin, G. E., D. D. Snow, E. Kim & R. F. Spalding. *Simultaneous Determination of Argon and Nitrogen.* v. 33, no. 5, pp. 781-785.

McMahon, P. B., D. A. Vroblesky, P. M. Bradley, F. H. Chapelle

& C. D. Gullett. *Evidence for Enhanced Mineral Dissolution in Organic Acid-Rich Shallow Ground Water.* v. 33, no. 2, pp. 207-216.

McNew, E. R. & S. Arav. *Surface Geophysical Surveys of the Freshwater-Saltwater Interface in a Coastal Area of Long Island, New York.* v. 33, no. 4, pp. 615-626.

Millham, N. P. & B. L. Howes. *(A) Comparison of Methods to Determine K in a Shallow Coastal Aquifer.* v. 33, no. 1, pp. 49-57.

Moench, Allen F. *Combining the Neuman and Boulton Models for Flow to a Well in an Unconfined Aquifer.* v. 33, no. 3, pp. 378-384.

Mohr, D. H. & P. H. Merz. *Application of a 2D Air Flow Model to Soil Vapor Extraction and Bioventing Case Studies.* v. 33, no. 3, pp. 433-444.

Mukhopadhyay, Amitabha. *Distribution of Transmissivity in the Dammam Limestone Formation, Kuwait.* v. 33, no. 5, pp. 801-805.

Nachabe, M. H., A. L. Islas & T. H. Illangasekare. *Analytical Solutions for Water Flow and Solute Transport in the Unsaturated Zone.* v. 33, no. 2, pp. 304-310.

Odermatt, John R. *Guest Editorial — Back to Basics in Environmental Protection.* v. 33, no. 3, pp. 354-355.

Olsthoorn, T. N. *Effective Parameter Optimization for Ground-Water Model Calibration.* v. 33, no. 1, pp. 42-48.

Ouyang, Y., R. S. Mansell & R. D. Rhue. *Flow of Gasoline-in-Water Microemulsion Through Water-Saturated Soil Columns.* v. 33, no. 3, pp. 399-406.

Pepper, D. W. & D. E. Stephenson. *(An) Adaptive Finite-Element Model for Calculating Subsurface Transport of Contaminant.* v. 33, no. 3, pp. 486-496.

Poeter, E. P. & S. A. McKenna. *Reducing Uncertainty Associated with Ground-Water Flow and Transport Predictions.* v. 33, no. 6, pp. 899-904.

Pool, D. R. & J. H. Eychaner. *Measurements of Aquifer-Storage Change and Specific Yield Using Gravity Surveys.* v. 33, no. 3, pp. 425-432.

Rao, H. Suresh & S. Sankaranarayanan. *Location of Water Table by FEM and Verification by Electrical Analogy Experiments.* v. 33, no. 3, pp. 372-377.

Reynolds, J. W. & R. K. Spruill. *Ground-Water Flow Simulation for Management of a Regulated Aquifer System: A Case Study in the North Carolina Coastal Plain.* v. 33, no. 5, pp. 741-748.

Rivett, Michael O. *Soil-Gas Signatures from Volatile Chlorinated Solvents: Borden Field Experiments.* v. 33, no. 1, pp. 84-98.

Robertson, W. D. & D. W. Blowes. *Major Ion and Trace Metal Geochemistry of an Acidic Septic-System Plume in Silt.* v. 33, no. 2, pp. 275-283.

Robertson, W. D. & J. A. Cherry. *In Situ Denitrification of Septic-System Nitrate Using Reactive Porous Media Barriers: Field Trials.* v. 33, no. 1, pp. 99-111.

Robson, S. G. *Preparation of Specific-Yield Logs for Clastic Bedrock Aquifers.* v. 33, no. 1, pp. 4-10.

Román, F. Javier Sánchez San. *Computer Notes — MacWateqf: The Classic Speciation and Saturation Program Adapted to Macintosh Computers.* v. 33, no. 5, pp. 829-831.

Rose, Seth. *Analysis of Temporal Environmental Isotopic Variation in Ground Water of the Georgia Piedmont.* v. 33, no. 4, pp. 644-652.

Rovey, C. W. II & D. S. Cherkauer. *Scale Dependency of Hydraulic Conductivity Measurements.* v. 33, no. 5, pp. 769-780.

Schnoebelen, D. J., E. F. Bugliosi & N. C. Krothe. *Delineation of a Saline Ground-Water Boundary from Borehole Geophysical Data.* v. 33, no. 6, pp. 965-976.

Shapiro, A. M. & E. A. Greene. *Interpretation of Prematurely Terminated Air-Pressurized Slug Tests.* v. 33, no. 4, pp. 539-546.

Sidle, W. C. & P. Y. Lee. *Estimating Local Ground-Water Flow Conditions in a Granitoid: Preliminary Assessments in the Waldoboro Pluton Complex, Maine.* v. 33, no. 2, pp. 291-303.

Solomon, D. K., R. J. Poreda, P. G. Cook & A. Hunt. *Site Characterization using $^3H/^3He$ Ground-Water Ages, Cape Cod, MA.* v. 33, no. 6, pp. 988-996.

Sophocleous, M., A. Koussis, J. L. Martin & S. P. Perkins. *Evaluation of Simplified Stream-Aquifer Depletion Models for Water Rights Administration.* v. 33, no. 4, pp. 579-588.

Sperry, J. M. & J. J. Peirce. *(A) Model for Estimating the Hydraulic Conductivity of Granular Material Based on Grain Shape, Grain Size, and Porosity.* v. 33, no. 6, pp. 892-898.

Srivastava, R. & A. Guzman-Guzman. *Analysis of Hydraulic Conductivity Averaging Schemes for One-Dimensional, Steady-State Unsaturated Flow.* v. 33, no. 6, pp. 946-952.

Stoessell, Ronald K. *Dampening of Transverse Dispersion in the Halocline in Karst Limestone in the Northeastern Yucatan Peninsula.* v. 33, no. 3, pp. 366-371.

Stuart, M. A., F. J. Rich & G. A. Bishop. *Survey of Nitrate Contamination in Shallow Domestic Drinking Water Wells of the Inner Coastal Plain of Georgia.* v. 33, no. 2, pp. 284-290.

Székely, Ferenc. *Estimation of Unsteady, Three-Dimensional Drawdown in Single, Vertically Heterogeneous Aquifers.* v. 33, no. 4, pp. 669-674.

Thierrin, J., G. B. Davis & C. Barber. *(A) Ground-Water Tracer Test with Deuterated Compounds for Monitoring In Situ Biodegradation and Retardation of Aromatic Hydrocarbons.* v. 33, no. 3, pp. 469-475.

van den Brink, C. & W. J. Zaadnoordijk. *Evaluation of Ground-Water Contamination from Nonpoint Sources: A Case Study.* v. 33, no. 3, pp. 356-365.

Walsh, D. C. & R. G. LaFleur. *Landfills in New York City: 1844-1994.* v. 33, no. 4, pp. 556-560.

Washington, John W. *Hydrolysis Rates of Dissolved Volatile Organic Compounds: Principles, Temperature Effects and Literature Review.* v. 33, no. 3, pp. 415-424.

Wicks, C. M. & J. S. Herman. *(The) Effect of Zones of High Porosity and Permeability on the Configuration of the Saline-Freshwater Mixing Zone.* v. 33, no. 5, pp. 733-740.

Wilson, R. D. & D. M. Mackay. *(A) Method for Passive Release of Solutes from an Unpumped Well.* v. 33, no. 6, pp. 936-945.

Wood, W. W. & W. E. Sanford. *Chemical and Isotopic Methods for Quantifying Ground-Water Recharge in a Regional, Semiarid Environment.* v. 33, no. 3, pp. 458-468.

Woodbury, A., F. Render & T. Ulrych. *Practical Probabilistic Ground-Water Modeling.* v. 33, no. 4, pp. 532-538.

Wuolo, R. W., D. J. Dahlstrom & M. D. Fairbrother. *Wellhead Protection Area Delineation Using the Analytic Element Method of Ground-Water Modeling.* v. 33, no. 1, pp. 71-83.

Wylie, Allan & Swen Magnuson. *Computer Notes — Spreadsheet Modeling of Slug Tests Using the van der Kamp Method.* v. 33, no. 2, pp. 326-329.

Xu, M. & Y. Eckstein. *Use of Weighted Least-Squares Method in Evaluation of the Relationship Between Dispersivity and Field Scale.* v. 33, no. 6, pp. 905-908.

Yang, Y. J., R. D. Spencer, M. A. Mersmann & T. M. Gates. *Ground-Water Contaminant Plume Differentiation and Source Determination Using BTEX Concentration Ratios.* v. 33, no. 6, pp. 927-935.

Yeh, T.-C. J., A. L. Gutjahr & M. Jin. *(An) Iterative Cokriging-Like Technique for Ground-Water Flow Modeling.* v. 33, no. 1, pp. 33-41.

Young, Steven C. *Characterization of High-K Pathways by Borehole Flowmeter and Tracer Tests.* v. 33, no. 2, pp. 311-318.

Zou, S. & A. Parr. *Optimal Estimation of Two-Dimensional Contaminant Transport.* v. 33, no. 2, pp. 319-325.